

HOSPITALS.

HOSPITAL RETURNS

QUESTION I.

| HOSPITALS | Number remaining in Hospital at the beginning of the year 1934 | Number admitted during the year 1934 | Daily Average in Hospital during the year 1934 | Attendants | | | | Patients Discharged | | | | Number who died in 1934 | Average stay of those | | | | | | | | |
|--|--|--------------------------------------|--|----------------------------|------------|--------------------|----------------------|---|--------------------|----------------------|------------|-------------------------|-----------------------|----------|-----------|----------------------------|--------------|------------|------------------------------|--------|---|
| | | | | Nurses doing no other duty | | | | Servants partially or not at all employed as Nurses | | | | | Cured | Relieved | A request | Not object or not improved | Dead in 1934 | Discharged | Remaining at the end of 1934 | | Specify the longest time for which any one patient has stayed |
| | | | | Day & Night Nurses | Not Nurses | Partial Day Nurses | Partial Night Nurses | Not Nurses | Partial Day Nurses | Partial Night Nurses | Not Nurses | | | | | | | | Days | Nights | |
| CENTRAL HOSPITAL | | | | | | | | | | | | | | | | | | | | | |
| Males | 130 | 2,437 | 148 | 24 | 32 | — | — | 896 | 1052 | 194 | 69 | 1202 | 17 | 22 | 38 | 257 | | | | | |
| Females | 159 | 2,544 | 158 | 21 | 10 | — | — | 1439 | 5593 | 249 | 81 | 1203 | 14 | 23 | 41 | 476 | | | | | |
| SANTO SPIRITO HOSPITAL | | | | | | | | | | | | | | | | | | | | | |
| Males | 32 | 175 | 29 | 4 | 4 | — | — | 99 | 33 | 16 | 7 | 19 | 92 | 17 | 32 | 828 | | | | | |
| Females | 35 | 123 | 34 | 4 | 1 | — | — | 70 | 17 | 30 | 6 | 10 | 19 | 72 | 75 | 809 | | | | | |
| CONNAUGHT HOSPITAL | | | | | | | | | | | | | | | | | | | | | |
| Males | 77 | 66 | 77 | 9 | 6 | — | — | 7 | — | 23 | — | 33 | 315 | 461 | 903 | 4,035 | | | | | |
| Females | 49 | 35 | 49 | 5 | 1 | — | — | 5 | — | 12 | — | 22 | 437 | 356 | 895 | 4,005 | | | | | |
| MANOEL HOSPITAL | | | | | | | | | | | | | | | | | | | | | |
| Males | 9 | 382 | 22 | 1 | 1 | — | — | 342 | — | 1 | 20 | 15 | 6 | 22 | 14 | 75 | | | | | |
| Females | 19 | 482 | 31 | 3 | — | — | — | 474 | — | — | 32 | 32 | 5 | 34 | 11 | 66 | | | | | |
| EMERGENCY FEVER WARDS** | | | | | | | | | | | | | | | | | | | | | |
| Males | — | 249 | 24 | — | — | 3 | 1 | 219 | — | 5 | 2 | — | — | 28 | 37 | 175 | | | | | |
| Females | — | 172 | 22 | — | — | 3 | 1 | 146 | — | 10 | 3 | — | — | 22 | 59 | 117 | | | | | |
| CONVALESCENT SURGICAL WARDS | | | | | | | | | | | | | | | | | | | | | |
| Males | 33 | 355 | 38 | — | — | 7 | 1 | 237 | — | 50 | 144 | 8 | 53 | 22 | 120 | 876 | | | | | |
| Females | 7 | 19 | 10 | — | — | 2 | 1 | 11 | — | 2 | 2 | — | — | 44 | 213 | 609 | | | | | |
| OPHTHALMIC WARDS | | | | | | | | | | | | | | | | | | | | | |
| Males | 9 | 32 | 11 | — | — | 2 | — | 14 | — | 19 | — | — | — | 127 | 183 | 836 | | | | | |
| Females | 27 | 32 | 27 | — | — | 3 | — | 13 | — | 13 | 25 | — | — | 298 | 224 | 949 | | | | | |
| INJECTIONS DISEASES WARDS | | | | | | | | | | | | | | | | | | | | | |
| Males | 3 | 10 | 26 | — | — | 1 | — | 4 | — | 1 | — | — | — | 129 | 261 | 1,112 | | | | | |
| Females | 15 | 31 | 24 | — | — | 1 | — | 24 | — | 3 | 2 | 3 | 3 | 64 | 284 | 660 | | | | | |
| GOZO HOSPITAL | | | | | | | | | | | | | | | | | | | | | |
| Males | 33 | 331 | 33 | 3 | 2 | — | — | 238 | 44 | 36 | 2 | 15 | 22 | 47 | 74 | 932 | | | | | |
| Females | 44 | 510 | 44 | 5 | 2 | — | — | 382 | 57 | 49 | 2 | 23 | 13 | 38 | 78 | 549 | | | | | |
| GOZO HOSPITAL FOR CONTAGIOUS DISEASES | | | | | | | | | | | | | | | | | | | | | |
| Males | — | 28 | 3 | 1 | 1 | — | — | 16 | — | — | — | 5 | 5 | 13 | 17 | 42 | | | | | |
| Females | — | 23 | 2 | 1 | 1 | — | — | 17 | — | — | — | 2 | 3 | 14 | 16 | 40 | | | | | |
| GOZO HOSPITAL TUBERCULAR CASES | | | | | | | | | | | | | | | | | | | | | |
| Males | 7 | 5 | 7 | 2 | 1 | — | — | — | — | 2 | — | 3 | 150 | 203 | 295 | 482 | | | | | |
| Females | 9 | 7 | 9 | 2 | — | — | — | — | — | 6 | — | 4 | 160 | 100 | 176 | 507 | | | | | |

* Of whom 225 were transferred to the Convalescent Fever Ward, 319 to the Surgical Convalescent Ward, and 30 to the Trachoma Ward at the Poor House.

† Of whom 158 were transferred to the Convalescent Fever Ward, 14 to the Surgical Convalescent Ward, and 25 to the Trachoma Ward at the Poor House.

‡ Exclusive of still-born children (Males—21; Females—11), and infants who died soon after birth (Males—53; Females—43).

** For period 9th February to 31st December, 1934, (Male Wards), and for period 23rd June to 31st December 1934, (Female Wards).

‡ Transferred to other Institutions.

§§ Including two midwives.

HOSPITAL RETURNS.

QUESTION II.

| Name and number of each Ward | Length in feet | Breadth in feet | Height in feet | Number of Beds assigned to the Ward | Cubic space available for each Patient for number of Beds assigned to the Ward. Cubic feet | The greatest number of Patients in the Ward at any one time during the Year | Windows and Ventilating Openings | | Connexion of the Pivry with the Ward | | Is there any Sink or Drain opening in Ward | | Remarks |
|-------------------------------------|----------------|-----------------|----------------|-------------------------------------|--|---|----------------------------------|-------------------------------------|--------------------------------------|------------------------|--|------------|---|
| | | | | | | | Total area in square feet | Area capable of opening in sq. feet | If Pivry in Ward | If leading out of Ward | Trapped? | Untrapped? | |
| CENTRAL HOSPITAL. | | | | | | | | | | | | | |
| Male Medical Ward | 78 | 22½ | 24 | 19 | 3,217 | 28 | 418 | 348 | | | | | The Privies are situated out of the Wards and Corridors with ventilation and space between. |
| Subdivision { 1 ... | 24 | 22½ | 24 | 4 | 3,240 | 10 | 208 | 197 | | | | | |
| Subdivision { 2 ... | 46½ | 27 | 21 | 14 | 1,883 | 16 | 238 | 238 | | | | | |
| Subdivision { 3 ... | 46½ | 27 | 21 | 14 | 1,883 | 17 | 223 | 223 | | | | | |
| Male Ophthalmic Subdivision { 1 ... | 35 | 20 | 15 | 12 | 875 | 10 | 165 | 165 | | | | | |
| Subdivision { 2 ... | 20 | 19½ | 15½ | 5 | 1,209 | 10 | 65 | 61 | | | | | |
| Subdivision { 3 ... | 14 | 10 | 12 | 7 | 480 | 10 | 67 | 87 | | | | | |
| Male Surgical Subdivision { 1 ... | 24 | 26 | 15 | 7 | 1,337 | 11 | 166 | 166 | | | | | |
| Subdivision { 2 ... | 22 | 26 | 15 | 8 | 1,072 | 13 | 97 | 97 | | | | | |
| Subdivision { 3 ... | 27 | 47 | 21 | 13 | 7,050 | 19 | 254 | 254 | | | | | |
| Subdivision { 4 ... | 27 | 47 | 21 | 14½ | 1,903 | 27 | 262 | 262 | | | | | |
| Corridor ... | 98 | 13 | 15 | — | — | — | 263 | 263 | | | | | |
| Venerical Diseases Clinic | | | | | | | | | | | | | |
| Male ... | 35½ | 21½ | 13½ | 6 | 1,738 | 6 | 122 | 116 | | | | | |
| † Female ... | 25½ | 21½ | 13½ | 6 | 1,370 | 6 | 83 | 139 | | | | | |
| Female Medical Subdivision { 1 ... | 77½ | 22½ | 22½ | 13 | 3,018 | 24 | 439 | 405 | No | Yes | No | No | |
| Subdivision { 2 ... | 22½ | 22½ | 22½ | 5 | 2,278 | 8 | 205 | 194 | | | | | |
| Subdivision { 3 ... | 47½ | 22½ | 22½ | 11 | 2,186 | 19 | 168 | 168 | | | | | |
| Subdivision { 4 ... | 47½ | 22½ | 22½ | 10 | 2,404 | 19 | 188 | 188 | | | | | |
| Lying in Wards ... { 1 ... | 26 | 21 | 15 | 6 | 1,365 | 10 | 95 | 95 | | | | | |
| ... { 2 ... | 26 | 22½ | 15 | 5 | 1,755 | 10 | 131 | 131 | | | | | |
| ... { 3 ... | 26 | 22½ | 15½ | 5 | 1,764 | 10 | 214 | 214 | | | | | |
| Corridor ... | 85½ | 12½ | 12½ | — | — | — | 129 | 129 | | | | | |
| Female Ophthalmic Ward { 1 ... | 36½ | 14½ | 15½ | 11 | 726 | 11 | 125 | 121 | | | | | |
| Ward { 2 ... | 20 | 16 | 15½ | 4 | 1,240 | 12 | 65 | 61 | | | | | |
| Female Ear, Nose & Throat [Section | 26 | 22½ | 15 | 8 | 1,097 | 13 | 214 | 214 | | | | | |
| Corridor ... | 54 | 12½ | 15½ | — | — | — | — | — | | | | | |
| Female Surgical Subdivision { 1 ... | 47½ | 22½ | 24½ | 11 | 2,380 | 19 | 174 | 174 | | | | | |
| Subdivision { 2 ... | 47½ | 22½ | 24½ | 12 | 2,182 | 18 | 242 | 242 | | | | | |
| Subdivision { 3 ... | 26 | 22½ | 15½ | 8 | 1,115 | 13 | 214 | 214 | | | | | |
| Corridor ... | 54½ | 13 | 15 | — | — | — | — | — | | | | | |
| Gynecological Ward ... | 35 | 20 | 15 | 11 | 954 | 23 | 176 | 176 | | | | | |
| Male Isolation Room ... | 15 | 12 | 12 | 2 | 1,080 | 10 | 379 | 379 | | | | | |
| Female do. ... | 26 | 13 | 11½ | 2 | 1,943 | 6 | 150 | 150 | | | | | |
| C.r. of Male Isolation Room | 15½ | 7½ | 15½ | — | — | — | — | — | | | | | |
| SANTO SPIRITO HOSPITAL. | | | | | | | | | | | | | |
| Men's Division. | | | | | | | | | | | | | |
| Ward ... No. 1 | 29 | 19 | 27 | 9 | 1,653 | 9 | 14 | 4 | | | | | |
| " ... " 2 | 26 | 19 | 27 | 9 | 1,482 | 9 | 14 | 4 | | | | | |
| " ... " 3 | 42 | 23 | 27 | 16 | 1,630 | 19 | 75 | 25 | | | | | |
| Women's Division. | | | | | | | | | | | | | |
| Ward ... No. 1 | 40 | 21 | 27 | 13 | 1,744 | 14 | 75 | 25 | No | Yes | No | No | |
| Caretaker's ward ... 2 | 32 | 21 | 27 | 11 | 1,649 | 10 | 75 | 25 | | | | | |
| Room ... " 3 | 34 | 23 | 27 | 11 | 1,919 | 14 | 75 | 25 | | | | | |

* Three of which, from 1st April 1934, for Dermatological cases. The greatest number of patients was 4 in the male section and 3 in the female section. As from 31st October 1934 a number of male patients suffering from skin diseases are being accommodated in the V. D. Clinic. The greatest number of patients was 4.

† Of which two for Ear, Nose and Throat cases. The greatest number of patients was 8.

‡ Opened on 1st September, 1934.

HOSPITAL RETURNS

QUESTION II—cont.

| Give the Name or number of each Ward | Length in feet | Breadth in feet | Height in feet | Number of Beds assigned to the Ward | Cubic space available for each Patient for number of beds assigned to the Ward. Cubic feet | The greatest number of Patients in the Ward at any one time during the Year | Windows and Ventilating Openings | | Connection of the Privy with the Ward | | Is there any Sink or Drain opening in Ward | | Remarks |
|--------------------------------------|----------------|-----------------|----------------|---|---|---|----------------------------------|-------------------------------------|---------------------------------------|---|--|------------|---------|
| | | | | | | | Total area in square feet | Area capable of opening in sq. feet | 1. Privy in Ward | If leading out of Ward | Trapped? | Untrapped? | |
| CONNAUGHT HOSPITAL. | | | | | | | | | | | | | |
| Male Division. | | | | | | | | | | | | | |
| Ward ... No. 1 | 55 | 27 | 32 | 18 | 2,640 | 20 | 104 | 104 | No | Yes | No | No | Nil. |
| " ... " 2 | 27 | 26½ | 26½ | 8 | 2,370 | 11 | 52 | 52 | | | | | |
| " ... " 3 | 25 | 22 | 27 | 2 | 2,121 | 8 | 51 | 51 | | | | | |
| " ... " 4 | 35½ | 20½ | 24½ | 8 | 1,995 | 9 | 92 | 92 | | | | | |
| " ... " 5 | 20½ | 15 | 20½ | 6 | 884 | 9 | 49 | 49 | | | | | |
| " ... " 5 | 19½ | 6½ | 13 | | | | | | | | | | |
| " ... " 6 | 92 | 201 | 171 | 17 | 2,066 | 18 | 1,260 | Nil | | | | | |
| " ... " 7 | 77 | 201 | 171 | 16 | 1,725 | 18 | 1,172 | Nil | | | | | |
| Female Division. | | | | | | | | | | | | | |
| Ward ... No. 1 | 33½ | 24 | 25½ | 11 | 2,065 | 14 | 76 | 76 | No | Yes | No | No | Nil. |
| " ... " 2 | 24 | 19½ | 24½ | 7 | 1,911 | 8 | 62 | 62 | | | | | |
| " ... " 3 | 32½ | 22½ | 22 | 7 | 1,856 | 8 | 60 | 60 | | | | | |
| " ... " 4 | 29½ | 18 | 21½ | 9 | 1,439 | 9 | 38 | 38 | | | | | |
| " ... " 5 | 24 | 18 | 23½ | 6 | 2,030 | 7 | 56 | 56 | | | | | |
| MANOEL HOSPITAL. | | | | | | | | | | | | | |
| Division A. { Room No. 1 | 28.5 | 14.0 | 14.11 | Generally, the rooms are occupied by one or two patients and cubic space is, therefore, adequate. | | | 101.7 | 130.0 | No | There are three privies in the Ward completely isolated from the Wards. | No | No | Nil. |
| " " 2 | 13.8 | 12.0 | 14.11 | | | | 86.3 | | | | | | |
| " " 3 | 27.5 | 12.0 | 14.11 | | | | 86.3 | | | | | | |
| Staircase ... | 28.5 | 24.0 | 14.11 | | | | 101.7 | | | | | | |
| Division B. { Room No. 1 | 28.3 | 13.1 | 14.11 | | | | 101.7 | | | | | | |
| " " 2 | 27.3 | 12.0 | 14.11 | | | | 86.3 | | | | | | |
| " " 3 | 27.3 | 10.0 | 14.11 | | | | 86.3 | | | | | | |
| " " 4 | 27.3 | 12.0 | 14.11 | | | | 86.3 | | | | | | |
| " " 5 | 28.3 | 12.0 | 14.11 | | | | 101.7 | | | | | | |
| Division C. { Room No. 1 | 28.1 | 18.11 | 14.1 | | | | 62.9 | | | | | | |
| " " 2 | 28.1 | 12.9 | 14.1 | | | | 62.9 | | | | | | |
| " " 3 | 28.1 | 12.9 | 14.1 | | | | 62.9 | | | | | | |
| " " 4 | 28.1 | 12.9 | 14.1 | | | | 82.7 | | | | | | |
| Division D. { Room No. 1 | 28.1 | 12.9 | 14.1 | | | | 90.0 | | | | | | |
| " " 2 | 28.1 | 12.9 | 14.1 | 90.0 | | | | | | | | | |
| " " 3 | 28.1 | 12.9 | 14.1 | 90.0 | | | | | | | | | |
| " " 4 | 28.1 | 18.11 | 14.1 | 62.9 | | | | | | | | | |
| Division E. { Room No. 1 | 28.4 | 13.2 | 14.11 | 53.0 | | | | | | | | | |
| " " 2 | 28.4 | 12.0 | 14.11 | 86.3 | | | | | | | | | |
| " " 3 | 28.4 | 10.1 | 14.11 | 86.3 | | | | | | | | | |
| " " 4 | 28.4 | 12.0 | 14.11 | 86.3 | | | | | | | | | |
| " " 5 | 28.4 | 12.0 | 14.11 | 60.3 | | | | | | | | | |
| Division F. { Room No. 1 | 27.4 | 14.0 | 14.11 | 125.3 | | | | | | | | | |
| " " 2 | 27.4 | 12.8 | 14.11 | 86.3 | | | | | | | | | |
| " " 3 | 27.4 | 12.8 | 14.11 | 86.3 | | | | | | | | | |
| " " 4 | 28.4 | 22.8 | 14.11 | 60.6 | | | | | | | | | |
| Upper Storey { Room No. 1 | 27.7 | 14.6 | 11.9 | 49.0 | | | | | | | | | |
| " " 2 | 13.8 | 12.2 | 11.9 | 24.6 | | | | | | | | | |
| EMERGENCY FEVER WARDS. | | | | | | | | | | | | | |
| Male Division. | | | | | | | | | | | | | |
| Ward ... No. 23 | 39 | 23 | 17½ | 26 | 1,358 | 32 | 380 | 380 | No | Yes | No | No | Nil. |
| Female Division. | | | | | | | | | | | | | |
| Ward ... No. 16 | 112½ | 24 | 17½ | 30 | 1,575 | 37 | 641 | 641 | | | | | |

HOSPITAL RETURNS.

QUESTION II—cont.

| Give the Name or number of each Ward | Length in feet | Breadth in feet | Height in feet | Number of Beds assigned to the Ward | Cubic space available for each Patient for number of beds assigned to the Ward. Cubic feet | The greatest number of Patients in the Ward at any one time during the Year | Windows and Ventilating Openings | | Connexion of the Privy with the Ward | | Is there any Sink or Drain opening in Ward | | Remarks |
|---|----------------|-----------------|----------------|-------------------------------------|---|---|----------------------------------|-------------------------------------|--------------------------------------|------------------------|--|------------|---|
| | | | | | | | Total area in square feet | Area capable of opening in sq. feet | If Privy in Ward | If leading out of Ward | Trapped? | Untrapped? | |
| CONVALESCENT SURGICAL WARDS. | | | | | | | | | | | | | |
| Male Division. | | | | | | | | | | | | | |
| Ward ... No. 7 | 95 | 23 | 17 | 25 | 1,523 | 22 | 494 | 494 | No | Yes | No | No | Nil. |
| Ward ... No. 8 | 100 | 23 | 17 | 25 | 1,564 | 20 | 473 | 473 | | | | | |
| Female Division | | | | | | | | | | | | | |
| Ward ... No. 21 | 34½ | 23 | 16½ | 8 | 1,517 | 4 | 391 | 391 | | | | | |
| OPHTHALMIC WARDS. | | | | | | | | | | | | | |
| Male Division. | | | | | | | | | | | | | |
| Ward ... No. 19 | 41 | 24 | 17½ | 15 | 1,131 | 12 | 293 | 293 | No | Yes | No | No | Nil. |
| Female Division. | | | | | | | | | | | | | |
| Ward ... No. 17 | 112½ | 24 | 17½ | 30 | 1,575 | 14 | 641 | 641 | | | | | |
| GOZO HOSPITAL. | | | | | | | | | | | | | |
| Male Division. | | | | | | | | | | | | | |
| Ward ... No. 1 | 63 | 17 | 20½ | 14 | 1,568 | 14 | 158 | 158 | No | Yes | No | No | The privies of the Hospitals are not in the immediate neighbourhood of the Wards. |
| " ... " 2 | 63 | 17 | 20½ | 12 | 1,830 | 12 | 160 | 160 | | | | | |
| " ... " 3 | 36 | 22 | 18 | 8 | 1,293½ | 8 | 190 | 190 | | | | | |
| Female Division. | | | | | | | | | | | | | |
| Ward ... No. 1 | 34 | 16½ | 17½ | 10 | 932 | 10 | 90 | 90 | No | Yes | No | No | |
| " ... " 2 | 52 | 16½ | 17½ | 14 | 1,072 | 14 | 192 | 192 | | | | | |
| " ... " 3 | 52 | 16½ | 17½ | 16 | 939 | 16 | 192 | 192 | | | | | |
| Lying-in-ward ... 1 | 22½ | 19½ | 14½ | 4 | 1,618 | 6 | 104 | 104 | | | | | |
| " ... " 2 | 25 | 21½ | 14½ | 6 | 1,251 | 8 | 86½ | 84½ | | | | | |
| GOZO HOSPITAL FOR CONTAGIOUS DISEASES. | | | | | | | | | | | | | |
| Room ... No. 1 | 24½ | 11½ | 11 | 6 | 509 | 6 | 87½ | 87½ | No | Yes | No | No | |
| " ... " 2 | 23½ | 11½ | 10½ | 4 | 710 | 5 | 68 | 68 | | | | | |
| " ... " 3 | 19 | 11 | 10½ | 3 | 731 | 3 | 76½ | 76½ | | | | | |
| " ... " 4† | 12½ | 11½ | 11 | 2 | 790 | 2 | 52½ | 52½ | | | | | |
| " ... " 5 | 11½ | 10½ | 10½ | 8 | 170 | 8 | 77 | 77 | | | | | |
| Rooms ... 7 to 16‡ | — | — | — | 2 | 1,208 | *6 | 113 | 113 | | | | | |
| HOSPITAL FOR TUBERCULAR CASES | | | | | | | | | | | | | |
| Male Division. | | | | | | | | | | | | | |
| Ward ... No. 1 | 36½ | 22 | 14½ | 12 | 999 | 10 | 183 | 183 | No | Yes | No | No | |
| Female Division. | | | | | | | | | | | | | |
| Ward ... No. 1 | 36½ | 22 | 14½ | 12 | 959 | 10 | 183 | 183 | | | | | |

* Additional number of beds.

† This room was formerly used as a Chapel.

‡ Not habitable on account of damp.

§ Part of this room has been converted into a Chaplain's room.

FOR ALL HOSPITALS:

(I.) What quantity of Water is available for each Patient every day?

The quantity of water is practically unlimited.

What is the source of the water supply?

A natural source from the town aqueduct.

What is the quality of the Water?

Quality is good in every respect.

(II.) Detail the arrangements as to Baths and Lavatories?

Porcelain, enamel and cement Baths with hot and cold water laid on: the Lavatories are earthenware basins fixed in marble slabs. They are all regularly trapped.

(III.) What is the system of sewage; and what the condition of the Privies?

Water System. The Privies are separated from the wards by means of passages thoroughly ventilated.

HOSPITAL RETURNS

QUESTION III.

NUMBER OF VISITS OF INSPECTION PAID TO THE HOSPITAL DURING THE YEAR.

| Character of the Visit in respect to Notice | Official Position of the Visitors | | |
|--|--|--|---|
| | By the Governor or Colonial Secretary | By a Government Inspector (at Malta the Comptroller) | By a Committee of the Governing Body |
| CENTRAL HOSPITAL. | | | |
| By Appointment | One by H. E. the Governor. | Frequently by Comptroller. | |
| Of Surprise | Nil. | The Chief Government Medical Officer visits the Hospital once a month. | |
| SANTO SPIRITO HOSPITAL. | | | |
| By Appointment | One by H. E. the Governor. | Frequently by Comptroller. | One by a Committee appointed by the Government. |
| Of Surprise | Nil. | The Chief Government Medical Officer pays occasional visits. | |
| CONNAUGHT HOSPITAL. | | | |
| By Appointment | One by H. E. the Governor. | Frequently by Comptroller. | One by a Committee appointed by the Government. |
| Of Surprise | Nil. | Occasionally by Chief Government Medical Officer and the Comptroller. | |
| MANOEL HOSPITAL. | | | |
| By Appointment | Nil. | The Chief Government Medical Officer inspects it frequently by surprise. | |
| Of Surprise | Nil. | Nil. | |
| EMERGENCY FEVER WARDS. | | | |
| By Appointment | Two by H. E. the Governor. | Nil. | |
| Of Surprise | Nil. | Frequently by the Comptroller of Char. Insts. and by the Chief Government Medical Officer. | One by the Board of Charity. |
| CONVALESCENT SURGICAL WARDS. | | | |
| By Appointment | Two by H. E. the Governor. | Nil. | |
| Of Surprise | Nil. | Frequently by the Comptroller of Char. Insts. and by the Chief Government Medical Officer. | |
| OPHTHALMIC WARDS. | | | |
| By Appointment | Two by H. E. the Governor. | Nil. | |
| Of Surprise | Nil. | Frequently by the Comptroller of Char. Insts. and by the Chief Government Medical Officer. | |
| GOZO HOSPITAL. | | | |
| By Appointment | One by H. E. the Governor. | The Commissioner visits the Hospital frequently. | |
| Of Surprise | Nil. | The Comptroller of Char. Insts. and the Chief Govt. Medical Officer inspect the Hospital occasionally. | |
| GOZO HOSPITAL FOR INFECTIOUS DISEASES. | | | |
| By Appointment | Nil. | The Commissioner visits the Hospital frequently. | |
| Of Surprise | Nil. | The Comptroller of Char. Insts. and the Chief Govt. Medical Officer inspect the Hospital occasionally. | |
| STA. TERESA HOSPITAL. | | | |
| By Appointment | One by H. E. the Governor. | The Commissioner visits the Hospital frequently. | |
| Of Surprise | Nil. | The Comptroller of Char. Insts. and the Chief Govt. Medical Officer inspect the Hospital occasionally. | |

HOSPITAL RETURNS.

QUESTION III--cont.

FOR ALL HOSPITALS:—

(I) In reference to the above Table, state whether or not the Register Books were produced on every occasion; and, if not, on how many occasions they were not so produced.

Always kept ready for inspection.

(II) And if on any occasion when they were examined they were found not to be properly made up to date of examination.

Always found made up to date.

(III) State also how many reports of the following kinds have come under the notice of the Governor:—

- (a) Reports of a Financial or Statistical kind, especially such as show the system on which Money and Store Accounts are kept and audited.
- (b) Reports by persons charged with the immediate management of the Hospital.
- (c) Reports by a Government Inspector, independent of the Governing Authority of the Hospital.

(Append copies of his Reports, if any.)

The queries do not apply to Malta as all Government Hospitals and Asylums are under the management of the Comptroller of Charitable Institutions and the Commissioner for Gozo who correspond with the Lieutenant-Governor as often as is necessary, on all questions of organization, discipline, and finance; and furnish an annual report on the working of the Department.

QUESTION IV

Table of cases of each kind of Disease treated in the Hospitals in the year, with the number of Deaths from each such Disease.

CENTRAL HOSPITAL.

| Diseases | Number of | | Diseases | Number of | | Diseases | Number of | | Diseases | Number of | |
|----------------------------|-----------|--------|-----------------------------|-----------|--------|------------------------------|-----------|--------|--------------------------------|-----------|--------|
| | Cases | Deaths | | Cases | Deaths | | Cases | Deaths | | Cases | Deaths |
| Medical Cases | | | Medical Cases—cont. | | | Medical Cases—cont. | | | Medical Cases—cont. | | |
| Abscess, oral ... | 1 | — | Cancer, pancreas ... | 1 | 1 | Disturbance cerebral ... | 1 | — | Fibrositis lumbar ... | 6 | — |
| do. ... | 2 | — | Cancer, stomach ... | 3 | 2 | vasomotor ... | — | — | Flat foot ... | 1 | — |
| Adrian's disease ... | 1 | 1 | Carcinomatosis nod. ... | 2 | 2 | Dysentery amoebic ... | 10 | 1 | Gangrene diabetic ... | 1 | 1 |
| Adenitis biliary ... | 5 | — | diffuse ... | — | — | Dyspepsia ... | 4 | — | Gastralgia ... | 2 | — |
| Albuminuria ... | 4 | — | Cardio-renal (V.H.D.) ... | 13 | 6 | Dystrophy progressive ... | 4 | — | Gastritis acute ... | 14 | — |
| Alcoholism ... | 4 | — | Cataract le-ocular ... | 20 | — | muscular ... | — | — | do. chronic ... | 10 | — |
| do. & C-calculi ... | 1 | — | Chicken-pox ... | 1 | — | Embolism cerebral ... | 13 | 1 | do. subacute ... | 5 | — |
| Anemia ... | 2 | — | Cholecystitis ... | 4 | — | Empyema ... | 1 | — | Gastro-enteritis ... | 4 | — |
| do. secondary ... | 15 | 2 | Cholelithiasis ... | 1 | — | Encephalitis acute ... | 3 | 2 | Gastroptosis ... | 1 | — |
| do. splenic ... | 1 | — | Chorea ... | 13 | — | Endocarditis rheumatic ... | 12 | 9 | Glycosuria ... | 2 | — |
| Angina pectoris ... | 3 | 1 | Chylouria ... | 1 | — | Endothelioma pleura ... | 1 | 1 | Hematemesis ... | 1 | — |
| Angiocholitis caecal ... | 1 | — | Cirrhosis biliary ... | 21 | 6 | Enteritis caecal acute ... | 12 | 2 | Haemoptysis ... | 1 | — |
| Aortitis chronic ... | 1 | — | Colic abdominal ... | 2 | — | do. chronic ... | 6 | 3 | Hæmorrhage cerebral ... | 41 | 20 |
| Appendicitis chronic ... | 1 | — | do. appendicular ... | 1 | — | do. tubercular ... | 1 | 1 | Hæmorrhoids ... | 2 | — |
| Arteriosclerosis ... | 3 | — | do. biliary ... | 2 | — | Enterocolitis ... | 10 | 1 | Hansen's disease ... | 2 | 1 |
| Arthritis gonoc. ... | 2 | — | do. renal ... | 9 | — | Epilepsy ... | 7 | — | Heart disease valv. ... | 15 | 7 |
| Ascites ... | 3 | — | Colitis acute ... | 15 | 1 | Epidaxia ... | 3 | — | Hemichorea ... | 1 | — |
| Ascariasis ... | 1 | — | Coua ... | 2 | — | Erythema nodosum ... | 2 | — | Hemiplegia ... | 3 | — |
| Asthma ... | 11 | — | Congestion cerebral ... | 6 | — | Fibracula ... | 22 | — | Hepatitis ... | 1 | — |
| Auto-intoxication ... | 16 | — | intestinal ... | 3 | — | Fever cerebro-spinal ... | 1 | — | do. chronic ... | 1 | — |
| do. ... | — | — | do. ... | — | — | do. enteric ... | 186 | 21 | Hodgkins' disease ... | 4 | 2 |
| Banti's disease ... | 5 | 1 | do. ... | 1 | — | do. puerperal ... | 1 | — | Hyperchlorhydria ... | 3 | — |
| Bronchitis acute ... | 12 | — | do. ... | 1 | — | do. rheumatic ... | 7 | 20 | Hypertrophia ... | 1 | — |
| Bronchitis chronic ... | 6 | — | do. ... | 1 | — | do. scarlet ... | 1 | — | Hypothyroidism ... | 2 | — |
| Bronchitis lat. aggr. ... | 1 | — | do. uræmic ... | 1 | — | do. undulant ... | 403 | — | Hystero-neurasthenia ... | 1 | — |
| trachea ... | — | — | Cystitis acute ... | 1 | — | do. do. and ... | 5 | — | Indigestion ... | 14 | — |
| Broncho-alveolitis ... | 1 | — | Cyst ovaria ... | 1 | — | enteric ... | — | — | Inflammation connective ... | 1 | — |
| chronic ... | — | — | Deblility general ... | 5 | — | Fibrillation auricular ... | 1 | — | tissue (legs) ... | — | — |
| Broncho-pneumonia ... | 48 | 20 | do. nervous ... | 1 | — | Fibrogliomatosis diffuse ... | 1 | — | Insanity maniac depressive ... | 2 | — |
| Cancer, breast & pulm. ... | 1 | 1 | Diabetes ... | 28 | 4 | Fibromatosis ... | 1 | — | sive ... | — | — |
| metastasis ... | — | — | Dilatation acute, heart ... | 1 | 1 | Fibrosis molluscum ... | 1 | — | Inefficiency cardio-renal ... | 22 | 12 |
| Cancer, liver ... | 1 | — | Diphtheria suspected ... | 1 | — | Fibrosis pulmonary ... | 10 | 3 | | | |
| | | | Disease cystic kidneys ... | 1 | 1 | Fibrositis knee ... | 1 | — | | | |

HOSPITAL RETURNS.

QUESTION IV—cont.
CENTRAL HOSPITAL—cont.

| Diseases | Number of | | Diseases | Number of | | Diseases | Number of | | Diseases | Number of | |
|-----------------------------|-----------|--------|-----------------------------|-----------|--------|---|-----------|--------|--|-----------|--------|
| | Cases | Deaths | | Cases | Deaths | | Cases | Deaths | | Cases | Deaths |
| Surgical Cases—cont. | | | Surgical Cases—cont. | | | Maternity & Gynecological Cases. | | | Maternity & Gynecological Cases cont. | | |
| Hepatitis amoebic ... | 3 | — | Pes cavus ... | 1 | — | Abortion Complete ... | 16 | — | Pregnancy:—cont. | | |
| Hernia: | | | Phimosis ... | 5 | — | do. Incomplete ... | 94 | 1 | and pedunculous abdo- | 5 | 1 |
| abdominal strangulated | 1 | — | Phylitis ... | 1 | — | do. Missed ... | 1 | — | men | | |
| epigastric ... | 1 | — | Pleurisy ... | 1 | — | do. Se, tic ... | 2 | — | and periculous amebic | 1 | — |
| fraxial ... | 10 | — | Prolapse rectal ... | 2 | — | do. Threatened ... | 29 | — | and placenta previa | 30 | 3 |
| inguinal ... | 254 | 1 | Prostate enlarged ... | 17 | 4 | do. Abscess labium-rectal ... | 1 | — | and pleurisy ... | 1 | — |
| inguinal strangulated | 18 | 3 | Prostata ... | 1 | — | do. Abscess pelvic ... | 2 | — | and post partum haemorrhage | 7 | 3 |
| umbilical ... | 26 | — | Pruritus ani ... | 1 | — | Anaemia after abortion ... | 1 | — | | | |
| Hydrocele ... | 12 | — | Pruritus ani ... | 1 | — | Anaemia from uterine | 1 | — | | | |
| Hydro-nephrosis ... | 2 | — | Pyelitis ... | 1 | — | haemorrhage from | 1 | — | | | |
| Indigestion acute ... | 4 | — | Pyelo-nephritis ... | 3 | 1 | uterous stress | 1 | — | | | |
| Ingrowing toe-nail ... | 7 | — | Cystic obstruction ... | 2 | — | birth of a child | 1 | — | | | |
| Intussusception chronic | 1 | — | Pyonephrosis ... | 1 | — | Carcinoma of cervix ... | 8 | — | | | |
| <i>typhoid</i> | | | Retention of urine ... | 20 | — | Carcinoma of vulva ... | 4 | — | | | |
| Contusion ... | 30 | — | Retained tendon quad- | 1 | — | Carcinoma of vulva | 4 | — | | | |
| do. heart failure | 1 | 1 | riceps ex cruris | | | do. squamous cell | | | | | |
| Cranio-cerebral injury | 7 | 1 | Scabies ... | 20 | 1 | Carcinoma of womb ... | 3 | — | | | |
| Crushed foot ... | 8 | — | Sclerotic disseminated | 1 | — | Cellulitis pelvic ... | 2 | — | | | |
| do. do. loss of toes | 2 | — | Scrofida ... | 1 | — | Cystocele and Rectocele | 8 | — | | | |
| do. do. hand ... | 7 | — | Septic foot ... | 6 | — | Cyst ovarian benign ... | 4 | — | | | |
| Cut tendons ... | 3 | — | do. hand ... | 3 | — | do. ovarian malignant | 5 | — | | | |
| Multiple injuries ... | 4 | 1 | do. leg ... | 4 | — | Endometritis chronic ... | 22 | — | | | |
| Lipoma skin and sub- | 5 | — | do. leg ... | 4 | — | do. polypoid ... | 4 | — | | | |
| cutaneous tissues | | | do. leg ... | 4 | — | do. senile and | 1 | — | | | |
| Loose body knee ... | 1 | — | Sinus sacrocoxygeal ... | 1 | — | retro-ovarian | | | | | |
| Lymphadenitis acute ... | 3 | — | Sinus tubercular ... | 2 | — | Exploratory lapar. for | 1 | — | | | |
| do. supp. ... | 1 | — | Spondylitis ... | 6 | — | adhesions | | | | | |
| do. chronic ... | 1 | — | Spondylitis tubercular | 14 | — | Fibroma uteri ... | 20 | 1 | | | |
| do. malignant | 1 | — | Syphilis and le | 5 | — | Fibrosarcoma uteri ... | 6 | — | | | |
| do. tubercular | 2 | — | do. lock ... | 1 | — | Fibroids uteri ... | 1 | — | | | |
| Ly-phadenoma | 1 | — | do. knee ... | 1 | — | Fistula vesico-vaginal | 2 | — | | | |
| Machena ... | 1 | — | do. knee traumatic | 2 | — | Gestation ectopic ... | 3 | 1 | | | |
| Malformation cong. | 2 | 1 | do. knee ... | 8 | — | Haemostoma vulvae | 1 | — | | | |
| rectum and anus | | | do. knee ... | 2 | — | Hypertrophia gravidi- | 7 | — | | | |
| Mastitis ... | 1 | — | do. knee ... | 2 | — | rum | | | | | |
| do. acute ... | 1 | — | Tenosynovitis hand ... | 2 | — | Inversion of uterus ... | 1 | — | | | |
| Mycosis of skin ... | 1 | — | Tetanus ... | 7 | 1 | Laceration cervix ... | 5 | — | | | |
| Myositis ... | 2 | — | Testicle and scrotal ... | 2 | — | Laceration perineal ... | 3 | — | | | |
| Narvus ... | 1 | — | Tetanus ... | 7 | 1 | do. Sec. anovular | 2 | — | | | |
| Necrosis finger ... | 1 | — | Thrombo-angitis obli- | 6 | — | Menorrhagia (functional) | 2 | — | | | |
| Nephritis ... | 1 | — | terans | | | do. Sec. anovular | 4 | — | | | |
| New growth nodeter- | 1 | — | Tuberculosis of kidney | 4 | — | Metricis ... | 10 | — | | | |
| mined chest | | | do. pulmonary | 1 | — | do. & parametritis left | 1 | — | | | |
| do. foot ... | 1 | — | do. sternum ... | 1 | — | do. and salpingitis ... | 2 | — | | | |
| Noma ... | 2 | — | Tumour undetermined | 4 | — | Mole cornosa ... | 1 | — | | | |
| Obstruction faecal ... | 1 | — | do. cerebral ... | 1 | 1 | do. hydatiform ... | 2 | — | | | |
| do. intestinal ... | 4 | 1 | do. parotid ... | 1 | — | Oophoro-Salpingitis ... | 12 | — | | | |
| do. urinary ... | 1 | — | do. submaxillary ... | 1 | — | Parametritis ... | 6 | — | | | |
| Oncocystoma ... | 1 | — | do. testis ... | 1 | — | do. d. able ... | 4 | — | | | |
| Orchitis ... | 5 | — | Ulcer chronic ... | 1 | — | Peritonitis pelvic ... | 1 | — | | | |
| Osteitis ... | 2 | — | do. duodenal ... | 3 | — | Pin-helic ... | 1 | — | | | |
| do. femur ... | 2 | — | do. du. perf. ... | 2 | — | Polypus cervical ... | 5 | — | | | |
| do. syphilitic ... | 1 | — | do. gastric ... | 12 | — | Poly-us placental ... | 3 | 1 | | | |
| Osteoma astragalus ... | 1 | — | do. rodent ... | 4 | — | Pregnancy (normal) ... | 147 | 2 | | | |
| Osteo-arthritis hip ... | 1 | — | do. skin ... | 20 | — | Pregnancy: | | | | | |
| do. knee ... | 1 | — | do. varicose ... | 2 | — | and abruptio plae. | 14 | 5 | | | |
| do. spine ... | 4 | — | Ulcus of scrotum for | 60 | — | and albuminuria ... | 36 | 1 | | | |
| Osteomyelitis acute ... | 8 | 2 | satellit. conditions | | | and catheteric bronch. | 1 | — | | | |
| do. chronic ... | 3 | — | Uremia ... | 1 | — | and dacryocystitis ... | 1 | — | | | |
| do. femur ... | 2 | 1 | Varicocele ... | 2 | — | and eclampsia ... | 7 | — | | | |
| do. fore arm ... | 2 | — | Wart foot ... | 1 | — | and epilepsy ... | 1 | — | | | |
| do. humerus ... | 7 | 1 | Whitlow ... | 2 | — | and erysipelas ... | 3 | — | | | |
| do. jaw ... | 4 | — | Wounds gunshot ... | 3 | — | and breech presentation | 15 | — | | | |
| do. metatarsals | 1 | 1 | Wounds gunshot chest | 2 | — | and brow presentation | 1 | — | | | |
| do. spine ... | 1 | 1 | Wound incised ... | 23 | — | and face presentation | 3 | — | | | |
| do. tibia ... | 12 | 1 | Wounds lacerated-contused | 47 | — | and glycosuria ... | 5 | — | | | |
| Papilloma bladder ... | 5 | — | Wounds penetrating | 2 | — | and gutta serena ... | 1 | 1 | | | |
| do. perianal ... | 5 | — | Wounds punctured ... | 5 | — | and hemiplegia ... | 1 | — | | | |
| do. urethral ... | 1 | — | Total Surgical Cases ... | 4790* | 90 | and hydronephrosis | 1 | — | | | |
| Paralysis poliomyelitic | | | | | | and occipito-post. | 19 | 4 | | | |
| Paronychia ... | 3 | — | | | | and shoulder presen- | 14 | 2 | | | |
| Periadenitis ... | 1 | — | | | | tation | | | | | |
| Periarthritis knee ... | 5 | — | | | | and necrosoma | 1 | — | | | |
| Periostitis ... | 3 | — | | | | and myocarditis ... | 3 | — | | | |
| Peritonitis actinomycois | 1 | 1 | | | | and nephritis ... | 4 | — | | | |
| do. tubercular ... | 2 | 1 | | | | and oedema of vulva | 1 | — | | | |
| do. (typhoid | 1 | 1 | | | | and pelvis juxta minor | 20 | 4 | | | |
| perforation) | | | | | | and pelvic rectile ... | 1 | — | | | |
| | | | | | | and flattened pelvis ... | 15 | 1 | | | |

Exclusive of out-patients.

HOSPITAL RETURNS.

QUESTION IV—cont.

CENTRAL HOSPITAL—C. H. E.

| Disease | Number of | | Disease | Number of | | Disease | Number of | | Totals | Number of | |
|---|------------|----------|--|------------|----|--------------------------|------------|----|-----------------------------------|-------------|------------|
| | C. | D. | | C. | D. | | C. | D. | | C. | D. |
| Ear, Nose and Throat Cases | | | Dermatological Cases. | | | V. D. Cases | | | | | |
| In-Patients—cont. | | | Out-Patients. | | | In-Patients. | | | Medical Cases | 1753 | 260 |
| Stricture oesophagus ... | 1 | — | Acne rosacea ... | 1 | — | Syphilis ... | 11 | — | Surgical Cases | 1790 | 99 |
| do. malignant ... | 2 | — | Acne vulgaris ... | 3 | — | Gonorrhoea ... | 12 | — | Maternity and Gynecological Cases | 774 | 43 |
| Suppuration lung ... | 2 | — | Ampicilia arata ... | 3 | — | Paraphimosis ... | 1 | — | Ophthalmic Cases | 459 | — |
| do. nose ... | 1 | — | Depigmentation ... | 4 | — | Warts ... | 1 | — | Ophthalmic Cases | 2572 | — |
| Tonsils and adenoids ... | 164 | — | Dermatitis ... | — | — | Not object ... | 7 | — | Ear, Nose and Throat Cases | 459 | 4 |
| Tumour endolaryngeal ... | 1 | — | Erythematous ... | 14 | — | Total V. D. Cases | 32 | — | Dermatological Cases | 28 | — |
| do. oesophagus ... | 1 | — | Exfoliative ... | 1 | — | In-Patients | | | Dermatological Cases | 436 | — |
| do. tongue ... | 1 | — | Infectious eremmatoides ... | 33 | — | | | | Veneral Dis. Cases | 32 | — |
| Ulcer ala, nose ... | 1 | — | Papillaris capillith ... | 3 | — | | | | Veneral Dis. Cases | 189 | — |
| Ulcer nose, rosent ... | 2 | — | Seborrhoeic ... | 15 | — | | | | Grand Total | 8462 | 405 |
| Under observation ... | 1 | — | Toxic ... | 11 | — | | | | | | |
| for cancer larynx ... | 1 | — | Dermatophytosis ... | 21 | — | V. D. cases | | | | | |
| for new-growth larynx ... | 2 | — | Eczema, infantile ... | 4 | — | Out-Patients. | | | | | |
| for sarcoma ... | 1 | — | Furunculosis ... | 30 | — | Syphilis ... | 35 | — | | | |
| Vertigo and deafness ... | 1 | — | Hypertichosis ... | 1 | — | Gonorrhoea ... | 67 | — | | | |
| Wound of nose ... | 3 | — | Ichthyosis ... | 2 | — | Balanitis ... | 4 | — | | | |
| Total E. N. T. Cases | 459 | 4 | Impetigo ... | 1 | — | Veneral Warts ... | 3 | — | | | |
| In-Patients | | | Keloids ... | 1 | — | No Ven. Disease ... | 80 | — | | | |
| | | | Keratosis palmaris et plantaris | 3 | — | Total V. D. Cases | 189 | — | | | |
| Dermatological Cases | | | Lichen ruber planus ... | 1 | — | Out-Patients | | | | | |
| In-Patients. | | | Lupus erythematosus ... | 1 | — | Syphilis ... | 35 | — | | | |
| Dermatitis erythematosa ... | 1 | — | Lupus vulgaris ... | 1 | — | Gonorrhoea ... | 67 | — | | | |
| do. seborrhoeica ... | 4 | — | Phthiasis ... | 3 | — | Balanitis ... | 4 | — | | | |
| do. exfoliative ... | 2 | — | Psoriasis ... | 15 | — | Veneral Warts ... | 3 | — | | | |
| do. infectious ... | 6 | — | Scabies ... | 5 | — | No Ven. Disease ... | 80 | — | | | |
| do. eczematoides ... | 2 | — | Sycosis ... | 30 | — | Total V. D. Cases | 189 | — | | | |
| do. toxic ... | 3 | — | Tinea capitis ... | 210 | — | Out-Patients | | | | | |
| Dermatomycosis ... | 4 | — | Ulcers ... | 9 | — | | | | | | |
| Furunculosis ... | 2 | — | Vitiligo ... | 1 | — | | | | | | |
| Psoriasis ... | 4 | — | Warts ... | 1 | — | | | | | | |
| Ichthyosis ... | 1 | — | Not object (Transferred to other Wards) | 5 | — | | | | | | |
| Ulcers (diabetic) ... | 1 | — | Total Dermatological Cases—Out Patients | 436 | — | | | | | | |
| Total Dermatological Cases In-Patients | 28 | — | | | | | | | | | |

SANTO SPIRITO HOSPITAL.

| Disease | Number of | | Disease | Number of | | Disease | Number of | |
|-----------------------------|-----------|--------|-----------------------------|------------|-----------|------------------------------|------------|-----------|
| | Cases | Deaths | | Cases | Deaths | | Cases | Deaths |
| Medical Cases | | | Medical Cases—cont. | | | Surgical Cases—cont. | | |
| Albuminuria ... | 1 | — | Hysteria ... | 2 | — | Cellulitis ... | 9 | — |
| Anaemia ... | 9 | — | Lumbago ... | 2 | — | Contusion ... | 4 | — |
| Arteriosclerosis ... | 4 | 2 | Myelitis ... | 1 | — | Cyst ... | 1 | — |
| Asthma Bronchial ... | 8 | — | Myocarditis ... | 10 | 2 | Fracture ... | 15 | — |
| Asthma, Cardiac ... | 2 | — | Nephritis ... | 15 | 3 | Gangrene ... | 1 | 1 |
| Aortitis ... | 1 | — | Nervous debility ... | 2 | — | Periostitis ... | 2 | — |
| Bronchiectasis ... | 3 | 1 | Neuritis ... | 1 | — | Files, inflamed ... | 2 | — |
| Bronchitis ... | 3 | — | Oedema angio-neurotic ... | 1 | — | Pott's disease ... | 2 | — |
| Broncho-pneumonia ... | 4 | — | Paraplegia, spastica ... | 5 | — | Sprain ... | 2 | — |
| Chorea ... | 1 | — | Peritonitis ... | 1 | — | Tetanus ... | 2 | 1 |
| Chlorosis ... | 1 | — | Pleurisy ... | 4 | — | Tumour abdominal ... | 1 | 1 |
| Colitis ... | 9 | — | Rheumatism ... | 9 | — | Ulcers ... | 4 | — |
| debility, general ... | 29 | — | Sciatica ... | 1 | — | Wounds, ... | 3 | — |
| Debility, senile ... | 15 | — | Senile marasmus ... | 1 | 1 | Total Surgical Cases | 59 | 5 |
| Diabetes, mellitus ... | 13 | 2 | Thrombosis cerebral ... | 1 | — | Gynaecological Cases. | | |
| Eczema ... | 2 | — | Tuberculosis, pulmonary ... | 3 | — | Parametritis ... | 1 | — |
| Enterocolitis ... | 6 | — | Uraemia ... | 2 | 2 | Ovarian cyst ... | 1 | — |
| Febriola ... | 20 | — | Total Medical Cases | 302 | 24 | Salpingitis ... | 1 | — |
| Fever, Enteric ... | 5 | — | Surgical Cases | | | Salpingo-oophoritis ... | 1 | — |
| Fever, Rheumatic ... | 2 | — | Abscess ... | 3 | — | Total Gynaecological | 4 | — |
| Fever, Undulant ... | 67 | 5 | Adenitis ... | 1 | — | Total Medical Cases | 302 | 24 |
| Fibrosis-pulmonary ... | 2 | — | Arthritis ... | 4 | — | Total Surgical Cases | 59 | 5 |
| Gastric ulcer ... | 2 | — | Balanitis ... | 1 | — | Grand Total | 365 | 29 |
| Gastritis ... | 4 | — | Burns ... | 1 | 1 | | | |
| Gastro-enteritis ... | 7 | — | Cancer ... | 1 | 1 | | | |
| Hæmorrhage-cerebral ... | 9 | 3 | | | | | | |
| Heart disease, valvular ... | 14 | 3 | | | | | | |

HOSPITAL RETURNS.

QUESTION IV—cont.

GOZO HOSPITAL.

| Diseases | Number of | | Diseases | Number of | | Diseases | Number of | |
|---------------------------|-----------|--------|----------------------------|-----------|--------|---------------------------------|-----------|--------|
| | Cases | Deaths | | Cases | Deaths | | Cases | Deaths |
| Medical Cases. | | | Medical Cases—cont. | | | Surgical Cases—cont. | | |
| Alcoholism ... | 3 | — | Senile mearasmus ... | 2 | — | Hernia, umbilical ... | 3 | — |
| Anaemia ... | 4 | — | Splenomegaly ... | 1 | — | Ingrown toe nail ... | 1 | — |
| Arthritis, rheumatoid ... | 1 | — | Tubercular peritonitis ... | 1 | 1 | Intussusception, intestinal ... | 1 | 1 |
| Asthma ... | 3 | — | Tuberculosis ... | 6 | 1 | Keratitis ... | 1 | — |
| Bronchitis ... | 14 | 1 | Uraemia ... | 3 | 2 | Metrorrhagia ... | 8 | — |
| Broncho-pneumonia ... | 6 | 2 | | | | Observation ... | 3 | — |
| Cerebral haemorrhage ... | 5 | 4 | Total Medical Cases ... | 351 | 27 | Osteitis ... | 1 | — |
| Cholecystitis ... | 2 | — | | | | Osteomyelitis ... | 2 | — |
| Chorea ... | 1 | — | Surgical Cases. | | | Otitis ... | 2 | — |
| Cirrhosis, hepatic ... | 1 | — | Abortion ... | 26 | — | Panophthalmitis ... | 1 | — |
| Colic ... | 1 | — | Abscess ... | 19 | — | Perforation of intestine ... | 2 | 2 |
| Colitis ... | 2 | — | Adenitis ... | 7 | — | Periostitis ... | 5 | — |
| Dobility ... | 37 | — | Adenoids ... | 1 | — | Peritonitis, septic ... | 1 | 1 |
| Dermatitis ... | 4 | — | Angioma ... | 1 | — | Piles ... | 2 | — |
| Diabetes ... | 13 | 6 | Appendicitis ... | 7 | — | Placenta praevia ... | 3 | — |
| Dysentery, bacillary ... | 4 | — | Arthritis ... | 8 | — | Pott's disease ... | 2 | — |
| Dyspepsia ... | 3 | — | Blepharitis ... | 2 | — | Pregnancy ... | 157 | — |
| Eczema ... | 2 | — | Burns ... | 1 | 1 | Pterygium ... | 7 | — |
| Enteritis ... | 4 | 2 | Cancer ... | 8 | 3 | Quincy ... | 1 | — |
| Elminthiasis ... | 1 | — | Carbuncle ... | 1 | — | Retention of placenta ... | 9 | — |
| Endocarditis ... | 2 | — | Cellulitis ... | 7 | 1 | Retention of urine ... | 2 | — |
| Epilepsy ... | 1 | — | Cerebral concussion ... | 4 | — | Scalds ... | 5 | 1 |
| Facial paralysis ... | 2 | — | Cervical erosion ... | 4 | — | Senile gangrene ... | 1 | — |
| Febriola ... | 24 | — | Cervix, hypertrophy of ... | 3 | — | Sinus ... | 2 | — |
| Fever, enteric ... | 11 | — | Conjunctivitis ... | 4 | — | Spinal concussion ... | 1 | — |
| Fever, malarial ... | 1 | — | Contusion ... | 12 | — | Sprain ... | 1 | — |
| Fever, undulant ... | 70 | 7 | Crushed toe ... | 2 | — | Strabismus ... | 1 | — |
| Gastralgia ... | 1 | — | Cyst ... | 3 | — | Supernumerary toe ... | 1 | — |
| Gastric catarrh ... | 2 | — | Cystitis ... | 3 | — | Synovitis ... | 4 | — |
| Gastric ulcer ... | 6 | — | Dacryocystitis ... | 1 | — | Talipes ... | 1 | — |
| Gastritis ... | 4 | — | Dislocation ... | 3 | — | Tetanus ... | 4 | 1 |
| Gastro-enteritis ... | 4 | — | Empyemo ... | 1 | — | Tonsils and adenoids ... | 42 | — |
| Haemoptysis ... | 1 | — | Endometritis ... | 5 | — | Trachoma ... | 28 | — |
| Heart disease ... | 5 | 2 | Entropion ... | 1 | — | Trichiasis ... | 3 | — |
| Herpes zoster ... | 2 | — | Epibulbaritis ... | 1 | — | Ulcer ... | 10 | — |
| Hypertemesis ... | 2 | — | Epistaxis ... | 1 | — | Ulcer, corneal ... | 15 | — |
| Impetigo ... | 2 | — | Epithelioma ... | 3 | — | Ulcer perforating ... | 1 | — |
| Jaundice ... | 2 | — | Epulis ... | 1 | — | Uterine polypus ... | 1 | — |
| Leukaemia ... | 1 | — | Fibroma, uterine ... | 1 | — | Uterine prolapse ... | 2 | — |
| Lumbago ... | 3 | — | Fibro-adenoma ... | 3 | — | Varicocele ... | 1 | — |
| Meningitis ... | 2 | 2 | Foreign body, ear ... | 1 | — | Warts ... | 1 | — |
| Muscular atrophy ... | 1 | — | Foreign body, nose ... | 1 | — | Wound, gunshot ... | 1 | — |
| Nephritis ... | 25 | 2 | Fistula, anal ... | 6 | — | Wound, incised ... | 7 | — |
| Neuralgia ... | 5 | — | Fracture, compound ... | 1 | — | Wound, lacerated-contused ... | 8 | — |
| Neurosthenia ... | 9 | — | Fracture, simple ... | 18 | — | | | |
| Observation ... | 3 | — | Furunculosis ... | 1 | — | Total Surgical Cases ... | 564 | 11 |
| Pleurisy ... | 4 | — | Glossitis ... | 1 | — | Total Medical Cases ... | 354 | 27 |
| Pneumonia ... | 5 | — | Haemophylia ... | 1 | — | | | |
| Ptycosis ... | 2 | — | Hernia, femoral ... | 4 | — | Grand Total ... | 918 | 38 |
| Purpura ... | 3 | — | Hernia, inguinal ... | 2 | — | | | |
| Rheumatism ... | 23 | — | Hernia, strangulated ... | 2 | — | | | |
| Sciatica ... | 2 | — | | | | | | |

ST TERESA HOSPITAL—GOZO.
Hospital for Tubercular Cases.

| Diseases | Number of | |
|------------------------|-----------|--------|
| | Cases | Deaths |
| Pulmonary tuberculosis | 28 | 6 |

HOSPITAL RETURNS.

QUESTION IV—cont.
CONTAGIOUS DISEASES HOSPITAL.—GOZO.

| Diseases treated | Number of | |
|------------------------------|-----------|--------|
| | Cases | Deaths |
| Diphtheria | 6 | 2 |
| Scarlet fever | 7 | — |
| Broncho-pneumonia | 4 | 4 |
| Erysipelas | 3 | — |
| Scabies | 28 | — |
| Purpura haemorrhagica | 1 | 1 |
| Total | 49 | 7 |

ALL HOSPITALS.

Table of cases of the following diseases occurring amongst patients and also amongst officers.

| Name of Disease | Occurring amongst Patients | | | | Occurring amongst Officers and other employees | | | |
|-----------------------------------|----------------------------|---|--|------------------|--|--------|--------------|--------|
| | Number of Cases | In case of patients attacked while in Hospital, state how long the person had been in Hospital before his attack and for what disease he was admitted | | Number of Deaths | Resident | | Non-Resident | |
| | | | | | Cases | Deaths | Cases | Deaths |
| Tubercular Phthisis | — | Nil. | | — | — | — | — | |
| Typhus | — | " | | — | — | — | — | |
| Smallpox | — | " | | — | — | — | — | |
| Scarlatina | 2 | Patient admitted for Diphtheria Disease appeared after 18 days. | | — | — | — | — | |
| | | Patient admitted for Typhoid Disease appeared after 14 days. | | — | — | — | — | |
| Enteric (or Typhoid) Fever | 2 | Patient admitted for Sub-acute Rheumatism Disease appeared after 304 days. | | — | — | — | — | |
| | | Patient admitted for Acute Nephritis Disease appeared after 92 days. | | — | — | — | — | |
| Erysipelas | 1 | Patient admitted for Acute Nephritis during Pregnancy Disease appeared after 24 days. | | — | — | — | — | |
| Broncho-pneumonia | — | Nil. | | — | — | — | — | |
| Pyæmia | — | " | | — | — | — | — | |
| Diphtheria | — | " | | — | — | — | — | |
| Puerperal sepsis | — | " | | — | — | — | — | |
| | | Six patients admitted for T. B. Disease appeared a long time after patients had been admitted. | | — | — | — | — | |
| Infarcts | 9 | One patient admitted for Cataract Disease appeared after 14 days. | | — | — | — | — | |
| | | One patient admitted for Periostitis eye Disease appeared after 28 days. | | — | — | — | — | |
| | | One patient admitted for Strabismus Disease appeared after 1 day. | | — | — | — | — | |
| Po-nominis (Joint) | 1 | Patient admitted for Spondylitis Disease appeared after 13 days. | | — | — | — | — | |
| Measles | 15 | Patients admitted for Scarlet fever Disease appeared between the 8th and 14th day after admission. | | — | — | — | — | |
| Chicken-pox | — | Nil. | | — | — | — | — | |